



Platinum Curve		mm	inches
A	Floor to bottom of footrest	54	2.1
B	Top of footrest to top of seat	494	19.4
C	Top of seat to top of arms	244	9.6
D	Top of arms to top of seat back	261	10.3
E	Overall height	1041	41.0
F	Length of footrest	329	13.0
G	Front of footrest to back of leg	65.1	25.6
H	Back of seat to back of leg	39	1.5
I	Width between armrests	541	21.3
J	Overall width	589	23.2
K	Width of footrest	290	11.4
L	Footrest offset	49	1.9
M	Folded footrest width	363	14.3
N	Newel post typical	90x90	3.5x3.5
O	Newel post to inside of rail	136	5.4
P	180 Bend on rail centre to centre typical	400	15.7
Q	Newel post to inside of rail	136	5.4
R	Bend radius on centre line (min)	200	7.9
S	Front of drop nose to first step (typical* 52 start)	300	11.8
T	Minimum swivel radius from wall	660	26.0
U	Seat to floor (on a horizontal run on)	589	23.2
V	Top of the footrest to floor (on a horizontal run on)	95	3.7
W	Centre of the tube to floor	140	5.5
X	Back of chain (inside) to wall (on a horizontal run on)	115	4.5
Y	Top of the footrest to floor (on normal start)	58	2.0
Z	Armrest to 1st riser (on typical* 52 start)	610	21.0

*Typical step: 180mm height

Measurements are only a guide and subject to site and client survey

